

Table 1a

Data Collection Statistics
01/01/2022 - 12/31/2022
National Park Service Gaseous Pollutant Monitoring Program

National Park Unit	Site Name	Parameter % valid													
		O3	SO2	SO2ADD	CO	NOX	PM2.5	PM10	VWD	SWS	TMP	RH	RNF	SOL	FLOW
Big Bend	K-Bar Ranch Road	93.2	---	---	---	---	---	---	94.5	94.5	96.5	96.6	97.6	97.3	94.3
Canyonlands	Island in the Sky	99.1	---	---	---	---	---	---	98.9	98.9	99.5	99.7	99.5	99.6	99.1
Carlsbad Caverns	Biology Building	97.7	---	---	---	---	---	---	92.8	92.8	97.3	97.3	98.4	98.8	---
Chaco Culture	Radio Repeater	96.2	---	---	---	97.5	---	---	99.4	99.4	99.6	99.6	99.3	99.4	---
Chiricahua	Entrance Station	98.7	---	---	---	---	---	---	50.9	99.8	93.5	99.9	65.6	99.9	99.8
Craters of the Moon	Visitor Center	96.8	---	---	---	---	---	---	0.0	100.0	100.0	---	---	99.9	---
Death Valley	Park Village	96.8	---	---	---	---	---	---	19.5	19.5	99.1	---	---	---	---
Denali	Headquarters	89.0	---	---	---	---	---	---	98.0	98.5	100.0	100.0	99.9	76.6	99.6
Dinosaur	West Entrance Housing	97.4	---	---	---	---	---	---	84.0	99.3	99.8	---	99.6	100.0	99.7
Everglades	Beard Center	---	---	---	---	---	---	---	35.7	89.5	99.4	99.8	99.4	94.2	99.6
Glacier	West Glacier Horse Stables	96.3	---	---	---	---	---	---	99.1	99.1	99.9	---	---	100.0	99.5
Grand Canyon	The Abyss	96.7	---	---	---	---	---	---	99.4	99.4	99.7	99.7	98.8	99.7	98.9
Grand Teton	Science School	99.1	---	---	---	---	---	---	99.8	99.8	29.8	99.9	99.6	99.9	---
Great Basin	Maintenance Yard	92.4	---	---	---	---	---	---	99.1	99.1	99.2	99.2	98.8	99.2	99.1
Great Smoky Mountains	Cades Cove	97.2	---	---	---	---	---	---	98.3	98.3	99.9	99.9	99.3	99.8	---
Great Smoky Mountains	Clingmans Dome	61.0	---	---	---	---	---	---	61.3	61.3	61.6	61.6	61.4	61.7	---
Great Smoky Mountains	Cove Mountain	84.7	---	---	---	---	---	---	99.0	99.0	99.5	99.3	71.5	---	---
Great Smoky Mountains	Look Rock	94.5	---	---	---	---	95.2	---	97.7	97.7	98.6	98.6	95.6	97.4	98.2
Great Smoky Mountains	Look Rock NCORE	---	56.6	---	82.7	---	---	---	---	---	---	---	---	---	---
Hawaii Volcanoes	Visitor Center	---	74.5	84.6	---	---	91.9	---	95.0	99.8	99.1	75.7	99.5	99.6	---
Joshua Tree	Black Rock	98.0	---	---	---	---	---	---	99.1	99.1	99.5	99.6	99.1	99.4	99.0
Joshua Tree	Cottonwood Visitor Center	96.4	---	---	---	---	---	---	99.6	99.6	99.7	99.7	88.7	99.7	---
Lassen Volcanic	Manzanita Lake Fire Stn.	91.9	---	---	---	---	---	---	54.1	96.4	97.7	97.8	96.5	96.8	87.5
Mammoth Cave	Houchin Meadow	94.3	92.4	---	94.1	---	---	---	99.9	99.9	100.0	93.3	99.8	99.9	99.8
Mesa Verde	Resource Management Area	99.3	---	---	---	---	---	---	96.3	96.3	100.0	100.0	99.4	100.0	99.5
Petrified Forest	South Entrance	99.2	---	---	---	---	---	---	99.2	99.2	99.6	---	---	99.8	99.3
Pinnacles	SW of East Entrance Stn.	97.8	---	---	---	---	---	---	52.6	98.5	92.7	96.4	93.5	99.8	82.4
Rocky Mountain	Longs Peak	91.7	---	---	---	---	---	---	99.0	99.0	100.0	100.0	99.9	100.0	99.5
Sequoia and Kings Canyon	Ash Mountain	98.1	---	---	---	---	96.8	---	74.3	73.8	98.8	98.9	98.9	98.5	98.8
Sequoia and Kings Canyon	Lower Kaweah	92.6	---	---	---	---	---	---	97.6	97.6	98.1	98.1	88.9	98.0	---
Shenandoah	Big Meadows	97.6	---	---	---	---	---	---	95.2	95.2	98.0	98.0	97.3	97.4	97.8
Voyageurs	Sullivan Bay	96.3	---	---	---	---	---	---	96.3	96.7	97.6	97.6	77.2	99.2	93.1
Yellowstone	Old Faithful Snow Lodge	---	---	---	90.9	89.3	93.2	---	99.1	99.1	99.5	99.5	---	---	---
Yellowstone	Water Tank	98.7	---	---	---	---	---	---	98.7	98.7	98.7	98.7	99.0	98.5	98.8
Yellowstone	West Entrance	---	---	---	84.8	91.5	92.4	---	99.8	99.8	99.8	99.8	---	---	---
Yosemite	Turtleback Dome	99.5	---	---	---	---	---	---	99.5	99.5	99.9	100.0	99.9	100.0	99.6
Zion	Dalton's Wash	99.1	---	---	---	---	---	---	99.5	99.5	99.4	---	98.9	99.2	---

Table 1a (continued)

Data Collection Statistics
01/01/2022 - 12/31/2022
National Park Service Gaseous Pollutant Monitoring Program

National Park Unit	Site Name	Parameter % valid													
		O3	SO2	SO2ADD	CO	NOX	PM2.5	PM10	VWD	SWS	TMP	RH	RNF	SOL	FLOW
Average Network Data Collection		94.9	74.5	84.6	88.1	92.8	93.9	---	85.6	94.3	95.9	96.8	94.0	97.2	97.4

Key:

O3 = Ozone
SO2 = Sulfur Dioxide
SO2Add = Sulfur Dioxide
CO = Carbon Monoxide

NOX = Oxides of Nitrogen
PM2.5 = Particulate Matter 2.5
PM10 = Particulate Matter 10
VWD = Vector Wind Direction
SWS = Scalar Wind Speed

TMP = Ambient Temperature
RH = Relative Humidity
RNF = Precipitation
SOL = Solar Radiation
FLOW = Filter Pack Flow Rate

Performance Goals:

Quarterly Criteria:
100% of sites, >= 85% valid data capture
90% of sites, >= 90% valid data capture
80% of sites, >= 95% valid data capture

Monthly Criteria:
100% of sites, >= 60% valid data capture
90% of sites, >= 75% valid data capture
80% of sites, >= 85% valid data capture

Font color key:

Black: 85% - 100% data recovery
Blue: 75% - 84.9% data recovery
Orange: 60% - 74.9% data recovery
Red: 0% - 59.9% data recovery

Table 1b

Data Collection Statistics
01/01/2022 - 12/31/2022
National Park Service Gaseous Pollutant Monitoring Program

National Park Unit	Site Name	Parameter % valid													
		O3	SO2	SO2ADD	CO	NOX	PM2.5	PM10	VWD	SWS	TMP	RH	RNF	SOL	FLOW
Rangely	Golf Course	95.8	---	---	---	96.4	90.5	---	99.9	99.9	99.9	99.9	99.2	99.9	---
Average Network Data Collection		95.8	---	---	---	96.4	90.5	---	99.9	99.9	99.9	99.9	99.2	99.9	---

Key:

O3 = Ozone

SO2 = Sulfur Dioxide

SO2Add = Sulfur Dioxide

CO = Carbon Monoxide

NOX = Oxides of Nitrogen

PM2.5 = Particulate Matter 2.5

PM10 = Particulate Matter 10

VWD = Vector Wind Direction

SWS = Scalar Wind Speed

TMP = Ambient Temperature

RH = Relative Humidity

RNF = Precipitation

SOL = Solar Radiation

FLOW = Filter Pack Flow Rate

Performance Goals:

Quarterly Criteria:

100% of sites, >= 85% valid data capture

90% of sites, >= 90% valid data capture

80% of sites, >= 95% valid data capture

Monthly Criteria:

100% of sites, >= 60% valid data capture

90% of sites, >= 75% valid data capture

80% of sites, >= 85% valid data capture

Font color key:

Black: 85% - 100% data recovery

Blue: 75% - 84.9% data recovery

Orange: 60% - 74.9% data recovery

Red: 0% - 59.9% data recovery

Table 1c

Data Collection Statistics
01/01/2022 - 12/31/2022
National Park Service Gaseous Pollutant Monitoring Program

National Park Unit	Site Name	Parameter % valid													
		O3	SO2	SO2ADD	CO	NOX	PM2.5	PM10	VWD	SWS	TMP	RH	RNF	SOL	FLOW
Guadalupe Mountains	Maintenance Area	93.2	---	---	---	---	---	---	---	100.0	100.0	100.0	99.9	100.0	---
Average Network Data Collection		93.2	---	---	---	---	---	---	---	100.0	100.0	100.0	99.9	100.0	---

Key:

O3 = Ozone

SO2 = Sulfur Dioxide

SO2Add = Sulfur Dioxide

CO = Carbon Monoxide

NOX = Oxides of Nitrogen

PM2.5 = Particulate Matter 2.5

PM10 = Particulate Matter 10

VWD = Vector Wind Direction

SWS = Scalar Wind Speed

TMP = Ambient Temperature

RH = Relative Humidity

RNF = Precipitation

SOL = Solar Radiation

FLOW = Filter Pack Flow Rate

Performance Goals:

Quarterly Criteria:

100% of sites, >= 85% valid data capture

90% of sites, >= 90% valid data capture

80% of sites, >= 95% valid data capture

Monthly Criteria:

100% of sites, >= 60% valid data capture

90% of sites, >= 75% valid data capture

80% of sites, >= 85% valid data capture

Font color key:

Black: 85% - 100% data recovery

Blue: 75% - 84.9% data recovery

Orange: 60% - 74.9% data recovery

Red: 0% - 59.9% data recovery

Table 2. Ozone Analyzer Precision and Accuracy Summary
Sites Operated by the National Park Service
National Park Service Gaseous Pollutant Monitoring Program, 2022

National Park Unit	Site Name	Calendar Quarter	Precision				As-Found Verification Multi-Point		
			Required No. of Precision Checks Met? ¹	Avg. Absolute Percent Difference ^{3,4}	Lower 95% Probability Limit ⁶	Upper 95% Probability Limit ⁶	Accuracy Check Performed During the Quarter? ²	Avg. Absolute Percent Difference ^{3,4}	Max. Absolute Percent Difference ⁵
Big Bend	K-Bar Ranch Road	1	Y	0.7	-1.7	0.3	N	—	—
		2	Y	0.9	-3.3	1.6	Y	1.1	1.8
		3	N	3.7	-6.4	-0.9	N	—	—
		4	Y	0.1	-2.4	2.6	Y	2.6	4.0
Canyonlands	Island in the Sky	1	Y	1.9	-2.9	-1.0	N	—	—
		2	Y	2.6	-3.6	-1.7	N	—	—
		3	Y	2.9	-5.4	-0.3	N	—	—
		4	Y	1.1	-2.1	-0.2	N	—	—
Carlsbad Caverns	Biology Building	1	Y	0.3	-0.6	1.1	N	—	—
		2	Y	0.1	-1.6	1.8	Y	1.1	1.6
		3	Y	2.0	-3.4	-0.6	N	—	—
		4	Y	0.5	-2.8	1.9	Y	1.4	1.7
Chaco Culture	Radio Repeater	1	Y	2.2	-7.0	2.6	Y	3.0	3.6
		2	Y	0.8	-2.2	3.9	Y	0.5	1.0
		3	Y	2.0	-4.7	0.7	Y	2.0	2.6
		4	Y	0.3	-1.4	1.9	Y	0.3	0.5
Chiricahua	Entrance Station	1	Y	1.1	-0.3	2.4	N	—	—
		2	Y	0.9	-0.4	2.2	Y	1.1	2.0
		3	Y	1.4	-1.2	4.1	N	—	—
		4	Y	0.8	-1.2	2.7	N	—	—
Craters of the Moon	Visitor Center	1	Y	1.5	0.6	2.4	N	—	—
		2	Y	0.5	-1.4	2.3	N	—	—
		3	Y	0.8	-0.4	2.0	N	—	—
		4	Y	0.9	-0.3	2.2	N	—	—
Denali	Headquarters	1	Y	1.9	-3.1	-0.7	N	—	—
		2	Y	1.3	-2.5	-0.1	Y	0.8	2.2
		3	Y	1.5	-3.0	-0.1	N	—	—
		4	N	3.3	-5.8	-0.7	N	—	—
Death Valley	Park Village	1	Y	0.1	-2.9	2.7	Y	0.7	1.1
		2	Y	0.2	-2.2	2.6	N	—	—
		3	Y	0.3	-1.4	0.7	N	—	—
		4	Y	1.3	-1.3	3.8	Y	0.7	1.4
Dinosaur	West Entrance Housing	1	Y	1.7	-4.4	0.9	N	—	—
		2	Y	1.5	-6.5	3.5	Y	1.3	2.4
		3	Y	0.8	-0.4	2.1	N	—	—
		4	Y	2.0	0.0	3.9	N	—	—
Glacier	West Glacier Horse Stables	1	Y	1.4	-3.5	0.7	N	—	—
		2	Y	1.2	-2.5	0.1	N	—	—
		3	Y	0.3	-2.3	2.9	Y	2.3	3.0
		4	Y	1.2	-0.8	3.2	Y	1.4	2.2

**Table 2 (continued). Ozone Analyzer Precision and Accuracy Summary
Sites Operated by the National Park Service
National Park Service Gaseous Pollutant Monitoring Program, 2022**

National Park Unit	Site Name	Calendar Quarter	Precision				As-Found Verification Multi-Point		
			Required No. of Precision Checks Met? ¹	Avg. Absolute Percent Difference ^{3,4}	Lower 95% Probability Limit ⁶	Upper 95% Probability Limit ⁶	Accuracy Check Performed During the Quarter? ²	Avg. Absolute Percent Difference ^{3,4}	Max. Absolute Percent Difference ⁵
Great Basin	Maintenance Yard	1	Y	1.7	-2.8	-0.6	N	—	—
		2	Y	3.1	-4.5	-1.7	N	—	—
		3	Y	0.0	-6.9	6.9	N	—	—
		4	Y	0.6	-0.7	1.9	Y	0.7	1.0
Grand Canyon	The Abyss	1	Y	1.1	-4.0	1.7	Y	0.9	1.1
		2	Y	0.7	-2.1	0.8	N	—	—
		3	Y	2.0	-2.7	-1.3	N	—	—
		4	Y	0.7	-2.1	3.4	Y	1.0	2.0
Great Smoky Mountains	Cades Cove	1	Y	0.6	-2.0	0.7	N	—	—
		2	Y	1.7	-5.5	2.1	Y	1.1	1.7
		3	Y	2.2	-6.1	1.8	N	—	—
		4	Y	0.7	-1.7	0.3	Y	0.4	1.3
Great Smoky Mountains	Clingmans Dome	1	—	—	—	—	—	—	—
		2	Y	1.9	-5.3	1.4	Y	1.6	3.3
		3	Y	1.2	-8.3	5.9	N	—	—
		4	Y	1.8	-1.4	5.1	Y	5.0	5.8
Great Smoky Mountains	Cove Mountain	1	Y	0.1	-0.6	0.9	N	—	—
		2	Y	0.3	-1.5	0.9	Y	0.6	1.0
		3	Y	0.8	-1.6	0.1	N	—	—
		4	Y	0.6	-1.8	0.6	Y	1.5	2.0
Great Smoky Mountains	Look Rock	1	Y	1.2	0.4	2.0	N	—	—
		2	Y	0.8	-1.5	3.1	Y	0.5	0.6
		3	Y	2.1	1.5	2.8	N	—	—
		4	Y	1.4	-1.1	3.8	Y	2.5	2.6
Grand Teton	Science School	1	Y	1.5	-3.7	0.7	N	—	—
		2	Y	2.9	-4.5	-1.2	N	—	—
		3	Y	1.3	-4.2	1.6	Y	2.1	3.2
		4	Y	0.2	-2.7	2.3	N	—	—
Joshua Tree	Black Rock	1	Y	0.0	-0.6	0.7	Y	2.2	2.9
		2	Y	0.8	-1.9	0.2	N	—	—
		3	Y	2.4	-3.4	-1.5	N	—	—
		4	Y	0.8	-3.1	1.5	Y	0.6	1.1
Joshua Tree	Cottonwood Visitor Center	1	Y	0.5	-4.6	5.5	Y	0.3	0.4
		2	Y	2.2	-1.7	6.1	N	—	—
		3	Y	1.8	-3.6	0.0	N	—	—
		4	N	1.5	-6.2	3.3	Y	0.5	1.0
Lassen Volcanic	Manzanita Lake Fire Stn.	1	Y	0.5	-0.9	1.8	N	—	—
		2	Y	1.0	-3.0	4.9	Y	6.4	8.5
		3	Y	1.5	-0.6	3.6	N	—	—
		4	N	1.8	-1.2	4.7	N	—	—

Table 2 (continued). Ozone Analyzer Precision and Accuracy Summary
Sites Operated by the National Park Service
National Park Service Gaseous Pollutant Monitoring Program, 2022

National Park Unit	Site Name	Calendar Quarter	Precision				As-Found Verification Multi-Point		
			Required No. of Precision Checks Met? ¹	Avg. Absolute Percent Difference ⁴	Lower 95% Probability Limit ⁶	Upper 95% Probability Limit ⁶	Accuracy Check Performed During the Quarter? ²	Avg. Absolute Percent Difference ^{3,4}	Max. Absolute Percent Difference ⁵
Mammoth Cave	Houchin Meadow	1	Y	0.8	0.1	1.5	N	—	—
		2	Y	0.8	0.3	1.3	Y	0.2	0.6
		3	Y	0.5	0.0	1.0	N	—	—
		4	Y	0.3	-2.0	1.3	Y	0.8	1.7
Mesa Verde	Resource Management Area	1	Y	0.8	-0.4	2.0	Y	0.4	0.9
		2	Y	0.8	-2.2	0.6	N	—	—
		3	Y	2.5	-3.8	-1.2	N	—	—
		4	Y	1.3	-2.7	0.1	Y	1.2	2.5
Petrified Forest	South Entrance	1	Y	1.8	-3.4	-0.2	N	—	—
		2	Y	1.3	-2.7	0.2	Y	0.9	2.0
		3	Y	2.1	-3.9	-0.3	N	—	—
		4	Y	1.2	-3.1	0.6	N	—	—
Pinnacles	SW of East Entrance Stn.	1	Y	0.4	-1.3	2.1	N	—	—
		2	Y	0.1	-0.9	1.1	N	—	—
		3	Y	0.3	-1.3	0.7	N	—	—
		4	Y	2.2	0.4	3.9	Y	1.1	1.9
Rocky Mountain	Longs Peak	1	Y	1.9	-3.6	-0.1	N	—	—
		2	Y	1.9	-3.1	-0.8	N	—	—
		3	Y	1.1	-3.6	1.5	Y	1.4	1.8
		4	Y	1.3	-2.1	4.8	Y	1.7	2.6
Sequoia and Kings Canyon	Ash Mountain	1	Y	1.2	-2.1	-0.3	N	—	—
		2	Y	0.1	-1.5	1.4	Y	1.1	1.6
		3	Y	2.1	-4.8	0.7	N	—	—
		4	Y	1.9	-4.8	0.9	Y	2.4	3.5
Sequoia and Kings Canyon	Lower Kaweah	1	—	—	—	—	—	—	—
		2	Y	1.8	-6.2	2.6	Y	0.8	1.2
		3	Y	1.3	-2.7	0.0	N	—	—
		4	Y	1.8	-8.4	4.9	Y	2.8	4.1
Shenandoah	Big Meadows	1	Y	1.4	-2.2	-0.6	N	—	—
		2	Y	1.6	-3.1	-0.2	N	—	—
		3	Y	2.1	-3.4	-0.9	N	—	—
		4	Y	0.9	-2.3	0.5	Y	0.8	1.4

**Table 2 (continued). Ozone Analyzer Precision and Accuracy Summary
Sites Operated by the National Park Service
National Park Service Gaseous Pollutant Monitoring Program, 2022**

National Park Unit	Site Name	Calendar Quarter	Precision				As-Found Verification Multi-Point		
			Required No. of Precision Checks Met? ¹	Avg. Absolute Percent Difference ^{3,4}	Lower 95% Probability Limit ⁶	Upper 95% Probability Limit ⁶	Accuracy Check Performed During the Quarter? ²	Avg. Absolute Percent Difference ^{3,4}	Max. Absolute Percent Difference ⁵
Voyageurs	Sullivan Bay	1	Y	0.5	-3.2	2.2	N	—	—
		2	Y	1.2	-2.3	-0.1	N	—	—
		3	Y	0.4	-2.7	2.0	Y	0.5	0.9
		4	Y	0.4	-1.0	1.9	N	—	—
Yellowstone	Water Tank	1	Y	0.1	-1.9	1.7	N	—	—
		2	Y	0.6	-0.8	2.0	Y	1.3	1.9
		3	Y	0.9	-0.7	2.4	Y	2.1	3.1
		4	Y	0.9	-3.7	1.9	N	—	—
Yosemite	Turtleback Dome	1	Y	0.5	-1.1	2.1	N	—	—
		2	Y	0.8	-1.1	2.6	N	—	—
		3	Y	1.0	-1.0	3.1	N	—	—
		4	Y	0.0	-2.5	2.4	Y	1.0	1.3
Zion	Dalton's Wash	1	Y	0.9	-2.1	0.2	N	—	—
		2	Y	0.9	-1.9	0.1	N	—	—
		3	Y	1.7	-3.0	-0.4	N	—	—
		4	Y	0.5	-1.7	0.7	Y	0.6	1.1

Operating agency key:

plain text = site operated by the National Park Service

italics = site operated by a state agency

underline = site operated by the National Park Service, but consisting of non-EPA certified portable instrumentation

Color shading key:

- ☐ Ideal: indicates a percent difference within +/-5% or a probability limit within +/-10%
- ☒ Acceptable: indicates a percent difference between +/-5.1-10% or a probability limit between +/-10.1-15%
- ☒ Unacceptable: indicates a percent difference greater than +/-10% or a probability limit greater than +/-15%

1. Precision checks are required by the Environmental Protection Agency (EPA) of all pollutant analyzers collecting data which are to be submitted to the EPA Air Quality System (AQS). A precision check is performed by challenging the pollutant analyzer with a known concentration of gas from the pollutant transfer standard. This precision check must be performed at least every 14 days of monitoring operation. The percent difference between the analyzer and the transfer standard is then calculated.³ According to NPS Standard Operating Procedures, the pollutant analyzer must respond within 10% of the

2. Accuracy checks are required by the Environmental Protection Agency (EPA) of all pollutant analyzers collecting data which are to be submitted to the EPA Air Quality System (AQS). An accuracy check is performed by challenging the pollutant analyzer with a known concentration of gas from the pollutant transfer standard at several different points. The percent difference between the analyzer and the transfer standard is then calculated.³ According to NPS Standard Operating Procedures, the pollutant analyzer must respond within 10% of the transfer standard. All accuracy checks reported here were performed by the reporting organization and not by an outside auditor.

3. Percent Difference = ((analyzer - transfer std)/transfer std)x100

4. Average Absolute Percent Difference is the mean of the absolute value of all individual precision check percent differences during the quarter, or the mean of the absolute value of all the percent differences from each point challenged during an accuracy check.

5. Maximum Absolute Percent Difference is the highest percent difference from the points of a multipoint (or accuracy) calibration.

6. Upper/Lower 95% Probability Limits = (Average Percent Difference)+/-(1.96)(Standard Deviation of precision check percent differences in the quarter). The probability limits represent the interval having a 95% chance of containing the true average percent difference. Probability limits must be within +/-15%.